

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200  
Standard must be consulted for specific requirements

**U. S. Department of Labor**

Occupational Safety & Health Administration  
Non-Mandatory Form  
Form Approved OMB No: 1218-0072

**Identity**

Base 2000 Wall Base

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must indicate that.

**Section I**

**Manufacturers Name**

Flexco

**Emergency Telephone Number**

(256) 383-7474

**Address:** Number, Street, City, State, Zip Code

1401 East 6th Street  
Tuscumbia, AL 35674

**Telephone number for information**

(256) 383-7474

**Date Prepared:** January 25, 2010

**Signature of Preparer** I. Chopra

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity: Common Name(s):	OSHA PEL	ACGIH TLV	Other Limits Recommended	% Optional
None				

The product is a vinyl compound, considered an article under 29CFR 1910.1200. It is not anticipated to present an exposure hazard in its intended use/design and contains no chemicals reportable under OEHHA Proposition 65.

**Section III - Physical/Chemical Characteristics**

Boiling Point:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Solubility in Water:	0

Specific Gravity(H <sub>2</sub> O=1):	1.1 - 2.1
Melting Point:	N/A
Evaporation Rate:	N/A
Butyl Acetate=1	

Appearance and Odor: Vinyl extruded products in various colors. No appreciable odor.

**Section IV - Fire & Explosion Hazard Data**

**Flash Point:** (Method Used)  
N/A

**Flammable Limits:** LEL N/A UEL N/A

**Extinguishing Media:**

Water, foam dry chemical or carbon dioxide. Carbon dioxide is not recommended for use on Class A fires as lack of cooling capacity may result in re-ignition.

**Special Fire Fighting Procedures:**

Wear self contained breathing apparatus and full protective clothing

**Unusual Fire & Explosion Hazards:**

Combustion products - hydrogen chloride, carbon monoxide, carbon dioxide, hydrogen sulfide, nitrogen oxide, heavy dense smoke may occur

